

## **General Disclaimer**

### **One or more of the Following Statements may affect this Document**

- This document has been reproduced from the best copy furnished by the organizational source. It is being released in the interest of making available as much information as possible.
- This document may contain data, which exceeds the sheet parameters. It was furnished in this condition by the organizational source and is the best copy available.
- This document may contain tone-on-tone or color graphs, charts and/or pictures, which have been reproduced in black and white.
- This document is paginated as submitted by the original source.
- Portions of this document are not fully legible due to the historical nature of some of the material. However, it is the best reproduction available from the original submission.

# U.S. PATENTS FOR NASA INVENTIONS

## Available for Licensing in the United States

\* Many Have Commercial Use \*

FACILITY FORM 602

<u>N71-12424</u> (ACCESSION NUMBER)	<u>Q3</u> (THRU)
<u>13</u> (PAGES)	<u>34</u> (CODE)
<u>TMX-66495</u> (NASA CR OR TMX OR AD NUMBER)	<u>34</u> (CATEGORY)



National Aeronautics and Space Administration



34

PRECEDING PAGE BLANK NOT FILMED

### NASA DOMESTIC PATENT LICENSING PROGRAM

Several thousand inventions result each year from the aeronautical and space research supported by the National Aeronautics and Space Administration. These inventions cover practically all fields of technology and include many that have useful and valuable commercial application.

The inventions having important use in Government programs or significant commercial potential are patented by NASA. In order to encourage the widest possible commercial use of these inventions, NASA makes its patents and applications for patent available for commercial licensing in accordance with the NASA Patent Licensing Regulations, Title 14 Code of Federal Regulations Section 1245.200 et seq.

NASA will grant nonexclusive, royalty-free licenses for inventions covered by patents and applications for patent for the term of the patent unless subsequently revoked or terminated by either party pursuant to agreed upon conditions. If commercial use of an invention has not occurred by the end of the second year after the issue date of the patent, an exclusive, royalty-free license may be granted by NASA to a qualified applicant thereby adding the incentive of exclusivity to encourage the commercial development of the invention.

#### ADDRESS

Inquiries and all applications for licenses should be addressed to:

Assistant General Counsel for Patent Matters  
National Aeronautics and Space Administration  
Washington, D.C. 20546

#### APPLICATION FOR LICENSE

An application for a patent license shall include:

1. Identification of invention for which license is desired:
  - Title of invention
  - U.S. Patent No. or Application No. (if known)
  - NASA Tech Brief No. (if applicable)
  - Other identification of invention (if any)
2. Name and address of company or organization applying for license
3. Name and address of representative or applicant to whom correspondence should be sent
4. Nature and type of applicant's business
5. Number of employees
6. Identification of source of information about the availability of a license on this invention
7. Purpose for which license is desired.

An application for exclusive license shall also include:

8. Applicant's status, if any, in any one or more of the following categories: (a) small business firms; (b) location in a surplus labor area; (c) location in a low income urban area; and (d) location in an area designated by the Government as economically depressed.

9. A description of applicant's capability to undertake the industrial marketing and development required to achieve the practical application of the invention.
10. The time and expenditure which the applicant estimates to be required to develop the invention to the point of practical application and the applicant's intention to invest that sum of money in development of the invention if the license is granted.
11. Whether the applicant would be willing to accept an exclusive license in a limited field of use or for any geographic portion less than the entirety of the United States of America, its territories and possessions, and if so, define the geographic portion or limited field.
12. Any other facts which the applicant believes to show it to be in the interests of the United States of America for the Administration to grant an exclusive license rather than a nonexclusive license and that such an exclusive license should be granted to the applicant.

# NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

## U.S. PATENTS AVAILABLE FOR LICENSING

Listed below are the U.S. patents available for royalty-free licensing from the National Aeronautics and Space Administration. Copies of the patents may be purchased directly from the U.S. Patent Office, Washington, D.C., for fifty cents a copy. Any NASA patent more than two years old and not in commercial use may be available for exclusive licensing. The patents marked with an asterisk (\*) are believed to have good commercial potential use without much further development. Those marked with a double asterisk (\*\*) have good potential, but may require further development for commercial use.

Patent No.	Date	Title	Patent No.	Date	Title
2,837,706	6-3-58	Line Following Servosystem	3,049,876	8-21-62	Annular Rocket Motor and Nozzle Configuration
2,898,889	8-11-59	Mechanically-Limited Electrically Operated Hydraulic Valve System for Aircraft Controls	3,053,484	9-11-62	Variable Sweep Wing Configuration
2,903,307	9-8-59	Two Component Bearing	3,057,597	10-9-62	Modification and Improvements to Cooled Blades
2,926,123	2-23-60	Temperature Reducing Coating for Metals Subject to Flame Exposure	3,059,220	10-16-62	Apparatus for Coupling a Plurality of Ungrounded Circuits to a Grounded Circuit
2,934,331	4-26-60	Apparatus for Making a Metal Slurry Product	3,063,291	11-13-62	High Vacuum Condenser Tank for Ion Rocket Engines
2,940,259	6-14-60	Rocket Propellant Injector	3,064,928	11-20-62	Variable Sweep Wing Aircraft
2,944,316	7-12-60	Process of Casting Heavy Slips	3,067,573	12-11-62	Telescoping-Spike Supersonic Inlet for Aircraft Engines
2,945,667	7-19-60	Flexible Seal for Valves	3,068,658	12-18-62	Venting Vapor Apparatus
2,956,772	10-18-60	Liquid-Spray Cooling Method	3,069,123	12-18-62	Instrument Support with Precise Lateral Adjustment
2,971,837	2-14-61	High Temperature Nickel-Base Alloy	3,070,330	12-25-62	Attitude and Propellant Flow Control System and Method
2,971,838	2-14-61	High Temperature Nickel-Base Alloy	3,070,349	12-25-62	Multistage Multiple-Reentry Turbine
2,974,925	3-14-61	External Liquid-Spray Cooling of Turbine Blades	3,070,407	12-25-62	Air Bearing
2,984,735	5-14-61	Runway Light	3,072,574	1-8-63	Gas Lubricant Compositions
2,991,671	7-11-61	Wire Grid Forming Apparatus	3,076,065	1-29-63	High-Speed Low-Level Electrical Stepping Switch
2,991,961	7-11-61	Jet Aircraft Configuration	3,077,599	2-12-63	Collapsible Loop Antenna for Space Vehicle
2,996,212	8-15-61	Self Supporting Space Vehicle	3,079,113	2-26-63	Vehicle Parachute and Equipment Jettison System
2,997,274	8-22-61	Turbo-Machine Blade Vibration Damper	3,080,711	3-12-63	Penshape Exhaust Nozzle for Supersonic Engine
3,001,363	9-26-61	Spherical Solid-Propellant Rocket Motor	3,083,611	4-2-63	Multi-Lobar SCAN Horizon Sensor
3,001,395	9-26-61	Air Frame Drag Balance	3,084,421	4-9-63	Reinforced Metallic Composites
3,001,739	9-26-61	Aerial Capsule Emergency Separation Device	3,085,165	4-9-63	Ultra-Long Monostable Multivibrator Employing Bistable Semiconductor Switch to Allow Charging or Timing Circuit
3,004,735	10-17-61	Particle Detection Apparatus	3,087,692	4-30-63	Variable-Span Aircraft
3,005,081	10-17-61	High Intensity Heat and Light Unit	3,088,441	5-7-63	Valve Actuator
3,005,339	10-24-61	Wind Tunnel Airstream Oscillating Apparatus	**3,090,212	5-21-63	Sandwich Panel Construction
3,008,229	11-14-61	Process for Applying a Protective Coating for Salt Bath Brazing	3,090,580	5-21-63	Space and Atmospheric Reentry Vehicle
3,010,372	11-28-61	Folding Apparatus	3,093,000	6-11-63	Check Valve Assembly for a Probe
3,011,760	12-5-61	Transportation Cooled Turbine Blade Manufactured from Wires	3,093,346	6-11-63	Space Capsule
3,012,400	12-21-61	Nozzle	3,098,630	7-23-63	Annular Supersonic Decelerator or Drogue
3,012,407	12-21-61	Insulating Structure	**3,100,294	8-6-63	Time-Division Multiplexer
3,016,693	1-16-62	Electro-Thermal Rocket	3,100,990	8-20-63	Two-Plane Balance
3,016,863	1-16-62	Hydrofoil	3,102,948	9-3-63	Electric Arc Welding
3,022,672	2-27-62	Differential Pressure Cell	3,104,079	9-17-63	Variable-Geometry Winged Reentry Vehicle
3,024,659	3-13-62	Magnetically Centered Liquid Column Float	**3,104,082	9-17-63	Variable Sweep Aircraft Wing
3,028,122	4-3-62	Landing Arrangement for Aerial Vehicles	3,105,515	10-1-63	Pressure Regulating System
3,028,126	4-3-62	Three Axis Controller	**3,106,603	10-8-63	High Voltage Cable
3,028,128	4-3-62	Reentry Vehicle Leading Edge	3,108,171	10-22-63	Radiant Heater Having Formed Filaments
3,038,077	6-5-62	Infrared Scanner			
3,038,175	6-12-62	Survival Couch			
3,041,587	6-26-62	Angular Measurement System			
3,041,924	7-3-62	Motion Picture Camera for Optical Pyrometry			
3,045,424	7-24-62	Method for Continuous Variation of Propellant Flow and Thrust in Propulsive Devices			



Patent No.	Date	Title
3,110,318	11-12-63	Slosh Suppressing Device and Method
3,112,672	12-3-63	Umbilical Separator for Rockets
3,115,630	12-24-63	Reflector Space Satellite
3,118,100	1-14-64	Electric Battery and Method of Operating the Same
3,119,232	1-28-64	Rocket Engine
3,120,101	2-4-64	Channel Type Shell Construction for Rocket Engine and the Like
3,120,361	2-4-64	Landing Arrangement for Aerospace Vehicle
3,120,738	2-11-64	Ignition System for Monopropellant Combustion Devices
3,121,309	2-18-64	Spherically Shaped Rocket Motor
3,122,000	2-25-64	Apparatus for Transferring Cryogenic Liquids
3,122,098	2-25-64	Apparatus and Method for Control of a Solid Fueled Rocket Vehicle
3,122,885	3-3-64	Injector for Bipropellant Rocket Engines
3,123,248	3-3-64	Expulsion Bladder Equipped Storage Tank Structure
**3,127,157	3-31-64	Multiple Belleville Spring Assembly
3,128,389	4-7-64	Variable Frequency Magnetic Multivibrator
3,128,845	4-14-64	Despin Weight Release
3,130,940	4-28-64	Heat Shield
3,132,342	5-5-64	Antenna System Using Parasitic Elements and Two Driven Elements at 90° Angle Fed 180° Out of Phase
3,132,476	5-12-64	Thrust Vector Control Apparatus
3,132,479	5-12-64	Universal Restrainer and Joint
**3,132,903	5-12-64	Slit Regulated Gas Journal Bearing
3,135,089	6-2-64	Decomposition Unit
3,135,090	6-2-64	Rocket Motor System
3,136,123	6-9-64	Rocket Engine Injector
3,138,837	6-30-64	Method of Making Fiber Reinforced Metallic Composites
3,139,725	7-7-64	Steerable Solid Propellant Rocket Motor
**3,140,728	7-14-64	High Pressure Four-Way Valve
3,141,340	7-21-64	Gravity Device
3,141,769	7-21-64	Method of Producing Porous Tungsten Ionizers for Ion Rocket Engines
3,141,932	7-21-64	Switching Mechanism with Energy Storage Means
**3,143,321	8-4-64	Frangible Tube Energy Dissipation
3,143,651	8-4-64	X-Ray Reflection Collimator Adapted For Focus X-Radiation Directly On A Detector
3,144,219	8-11-64	Manned Space Station
3,144,999	8-18-64	Propellant Blade Loading Control
3,145,874	8-18-64	Means For Controlling Repture Of Shock Tube Diaphragms
3,147,422	9-1-64	Electronic Motor Control System
3,149,897	9-22-64	Printed Cable Connector
3,150,329	9-22-64	Variable Frequency Magnetic Coupled Multivibrator
**3,150,387	9-29-64	Foam Generator
*3,152,344	10-13-64	Life Preserver
3,155,992	11-10-64	Life Raft
3,156,090	11-10-64	Ion Rocket
3,157,529	11-17-64	Bonded Solid Lubricant Coating
3,158,172	11-24-64	High-Temperature, High-Pressure Spherical Segment Valve
3,158,336	11-24-64	Assembly for Recovering a Capsule
**3,158,764	11-24-64	Two-Fluid Magneto-hydrodynamic System and Method for Thermal-Electric Power Conversion
3,159,967	12-8-64	Variable Thrust Ion Engine Utilizing Thermally Decomposable Solid Fuel
**3,160,825	12-8-64	Temperature Compensating Means for Cavity Resonator of Amplifier

Patent No.	Date	Title
**3,160,950	12-15-64	Method and Apparatus for Shock Protection
3,162,012	12-22-64	Formed Metal Ribbon Wrap
**3,163,935	1-5-65	Mechanical Coordinate Converter
3,164,222	1-5-65	Non-Reusable Kinetic Energy Absorber
3,164,369	1-5-65	Multia. ge Multiple-Reentry Turbine
3,165,356	1-12-65	Shock Absorbing Support and Restraint Means
3,166,834	1-26-65	Catalyst Bed Removing Tool
3,167,426	1-26-65	Nickel-Base Alloy
3,168,827	2-9-65	Airplane Take-off Performance Indicator
*3,169,001	2-9-65	Aircraft Wheel Spray Drag Alleviator
**3,169,613	2-16-65	Elasto: Universal Joint
**3,169,725	2-16-65	Erectable Modular Space Station
3,170,286	2-23-65	Injector Valve Device
3,170,290	2-23-65	Liquid Rocket System
3,170,295	2-23-65	Propellant Tank Pressurization System
3,170,324	2-23-65	Aerodynamic Measuring Device
**3,170,471	2-23-65	Inflatable Honeycomb
3,170,486	2-23-65	Two-Component Valve Assembly
3,170,605	2-23-65	Ejection Valve
3,170,657	2-23-65	Landing Arrangement for Aerial Vehicle
3,170,660	2-23-65	Parachute Glider
3,170,773	2-23-65	Reinforced Metallic Composites
3,171,060	2-23-65	Plasma Accelerator
3,171,081	2-23-65	Ionization Vacuum Gauge
3,172,097	3-2-65	Binary to Binary-Coded-Decimal Converter
3,173,246	3-16-65	Colloid Propulsion Method and Apparatus
3,173,251	3-16-65	Apparatus for Igniting Solid Propellants
3,174,278	3-23-65	Continuously Operating Induction Plasma
3,174,279	3-23-65	Rocket Thrust Chamber
3,174,827	3-23-65	Production of High Purity Silicon Carbide
3,175,789	3-30-65	Landing Pad Assembly for Aerospace Vehicles
3,176,222	3-30-65	Apparatus Having Coaxial Capacitor Structure for Measuring Fluid Density
3,176,499	4-6-65	High Temperature Testing Apparatus
3,176,933	4-6-65	Thermal Control of Space Vehicles
*3,177,933	4-13-65	Thermal Switch
3,178,883	4-20-65	Attitude Control for Spacecraft
3,180,264	4-27-65	Coupling for Linear Shaped Charge
3,180,587	4-27-65	Attitude Orientation of Spin-Stabilized Space Vehicles
3,181,821	5-4-65	Spacecraft Soft Landing System
3,182,496	5-11-65	Electric Arc Driven Wind Tunnel
3,183,506	5-11-65	Radar Ranging Receiver
3,185,023	5-25-65	Optical Inspection Apparatus
3,187,583	6-8-65	Space Simulator
3,188,472	6-8-65	Method and Apparatus for Determining Satellite Orientation Utilizing Spatial Energy Sources
3,188,844	6-15-65	Electrical Discharge Apparatus for Forming
3,189,299	6-15-65	Dynamic Precession Damper for Spin Stabilized Vehicles
**3,189,535	6-15-65	Means and Method of Depositing Thin Films on Substrates
3,189,726	6-15-65	High Temperature Heat Source
3,189,794	6-15-65	Relay Binary Circuit
3,189,864	6-15-65	Electrical Connector for Flat Cables
3,191,316	6-29-65	Lunar Landing Flight Research Vehicle
3,191,379	6-29-65	Propellant Grain for Rocket Motors

Pat. No.	Date	Title
3,191,907	6-29-65	Conical Valve Plug
3,192,730	7-6-65	Helium Refining by Superfluidity
3,193,883	7-13-65	Mandrel for Shaping Solid Propellant Rocket Fuel into a Motor Casing
3,194,060	7-13-65	Seismic Displacement Transducer
3,194,525	7-13-65	Supporting and Protecting Device
3,194,951	7-13-65	Logarithmic Converter
3,196,261	7-20-65	Full Binary Adder
3,196,362	7-20-65	Temperature Compensated Solid State Differential
3,196,557	7-27-65	Centrifuge Mounted Motion Simulator
3,196,558	7-27-65	Means for Visually Indicating Flight Paths of Vehicles Between the Earth
3,196,598	7-27-65	Inlet Deflector for Jet Engines
3,196,675	7-27-65	Optical Torquemeter
3,196,690	7-27-65	Impact Simulator
3,197,616	7-27-65	Temperature Regulation Circuit
3,198,955	8-3-65	Binary Magnetic Memory Device
3,199,340	8-10-65	Accelerometer with F.M. Output
3,199,343	8-10-65	Electric Propulsion Engine Test Chamber
3,199,931	8-10-65	Externally Pressurized Fluid Bearing
3,200,706	8-17-65	Gas Actuated Bolt Disconnect
3,201,560	8-17-65	Electric-Arc Heater
3,201,635	8-17-65	Method and Apparatus for Producing a Plasma
3,201,980	8-24-65	Thrust Dynamometer
3,202,381	8-24-65	Recoverable Rocket Vehicle
3,202,398	8-24-65	Locking Device for Turbine Rotor Blades
3,202,844	8-24-65	Energy Conversion Apparatus
3,202,915	8-24-65	Particle Beam Measurement Apparatus Using Beam Kinetic Energy to Change the Heat Sensitive Resistance of the Detection Probe
**3,202,998	8-24-65	Flexible Foam Erectable Space Structure
3,204,447	9-7-65	Enthalpy and Stagnation Temperature Determination of a High Temperature Laminar Flow Gas Stream
3,204,889	9-7-65	Space Vehicle Electrical System
3,205,361	9-7-65	Light Sensitive Digital Aspect Sensor
3,205,362	9-7-65	Photosensitive Device to Detect Bearing Deviation
3,205,381	9-7-65	Ionospheric Battery
3,206,141	9-14-65	Space Vehicle Attitude Control
3,208,215	9-28-65	Gimbaled, Partially Submerged Rocket Nozzle
3,208,272	9-28-65	Surface Roughness Detector
3,208,694	9-28-65	Nose Gear Steering System for Vehicle with Main Skid
3,208,707	9-28-65	Pivotal Shock Absorbing Pad Assembly
3,209,360	9-28-65	Antenna Beam-Shaping Apparatus
3,209,361	9-28-65	Cassegrainian Antenna Subreflector Flange for Suppressing Ground Noise
3,210,927	10-12-65	Electro-Thermal Rockets Having Improved Heat Exchangers
3,211,169	10-12-65	Shrink-fit Gas Valve
3,211,414	10-12-65	Thermally Operated Valve
3,212,096	10-12-65	Parabolic Reflector Horn Feed With Spillover Correction
3,212,259	10-15-65	Tertiary Flow Injection Thrust Vectoring System
3,212,325	10-12-65	Force Measuring Instrument
3,212,564	10-19-65	Heat Conductive Resiliently Compressible Structure for Space Electronic Package Modules
3,215,572	11-02-65	Low Viscosity Magnetic Fluid Obtained by the Colloidal Suspension of Magnetic Particles
*3,215,842	11-02-65	Optical Communication System
3,216,007	11-02-65	Analog-to-Digital Conversion System
**3,217,624	11-16-65	Electrically-operated Rotary Shutter
3,218,479	11-16-65	Phase Detector Assembly

Parent No.	Date	Title
3,218,547	11-16-65	Flux Sensing Device Using a Tubular Core with Toroidal Gating Coil and Solenoidal Output Coil
3,218,850	11-23-65	Thermo-protective Device for Balances
3,219,250	11-23-65	Flexible Back-up Bar
3,219,365	11-23-65	Spherical Shell
3,219,828	11-23-65	Vibrating Reticle Star Tracker
3,220,004	11-23-65	Passive Communication Satellite
3,221,547	12-7-65	Apparatus for Absorbing and Measuring Power
**3,221,549	12-7-65	Aircraft Instrument
*3,223,374	12-14-65	Miniature Vibration Isolator
3,224,001	12-14-65	Inflatable Radar Reflector Unit
3,224,173	12-21-65	Liquid-gas Separator System
3,224,263	12-21-65	Null-type Vacuum Microbalance
3,224,336	12-21-65	Missile Launch Release System
3,228,492	1-11-66	Double-Acting Shock Absorber
3,228,558	1-11-66	Measuring Device
3,229,059	1-11-66	Electro-Optical Alignment Control System
3,229,102	1-11-66	Radiation Direction Detector Including Means for Compensating for Photocell Aging
3,229,139	1-11-66	High Temperature Spark Plug
3,229,155	1-11-66	Electric Arc Device for Heating Gases
3,229,463	1-18-66	Trajectory-correction Propulsion System
3,229,568	1-18-66	Concave Grating Spectrometer
3,229,636	1-18-66	Missile Stage Separation Indicator and Stage Initiator
3,229,682	1-18-66	Device for Directionally Controlling Electromagnetic Radiation
3,229,689	1-18-66	Resuscitation Apparatus
3,229,884	1-18-66	Segmented Back-up Bar
3,229,930	1-18-66	Stretch Yo-Yo De-spin Mechanism
**3,230,053	1-18-66	Apparatus for Producing High Purity Silicon Carbide Crystals
3,230,377	1-18-66	Self-stabilized Theodolite for Manual Tracking Using Photosensitive Stabilizing Means
3,236,066	2-22-66	Energy Absorption Device
3,237,253	3-1-66	Method of Making Screen by Casting
3,238,345	3-1-66	Hypersonic Test Facility
3,238,413	3-1-66	Magnetically Controlled Plasma Accelerator
3,238,715	3-8-66	Electrostatic Ion Engine Having a Permanent Magnetic Circuit
3,238,730	3-8-66	Anti-backlash Circuit for Hydraulic Drive System
3,238,774	3-8-66	Pressurized Cell Micrometeroid Detector
*3,238,777	3-8-66	Differential Temperature Transducer
3,239,660	3-8-66	Illumination System Including a Virtual Light Source
3,242,716	3-29-66	Apparatus for Measuring Thermal Conductivity
3,243,154	3-29-66	Vibration Damping System
3,243,791	3-29-66	Bi-carrier Demodulator with Modulation
3,249,012	5-3-66	Umbilical Disconnect
**3,249,013	5-3-66	Remote Controlled Tubular Disconnect
3,251,053	5-10-66	Analog to Digital Converter
3,252,100	5-17-66	Pulse Generating Circuit
3,254,395	6-7-66	Method for Making a Rocket Motor Casing
3,254,487	6-7-66	Rocket Motor Casing
3,257,780	6-28-66	Zero Gravity Separator
3,258,582	6-28-66	Energy Management System for Glider Type Vehicle
3,258,687	6-28-66	Wide Range Linear Fluxgate Magnetometer
3,258,831	7-5-66	Method of Making a Molded Connector

Patent No.	Date	Title
3,258,912	7-5-66	Method of Igniting Solid Propellants
3,258,918	7-5-66	Fluid Dispensing Apparatus and Method
**3,260,055	7-12-66	Automatic Thermal Switch
3,260,204	7-12-66	Velocity Package
3,260,326	7-12-66	Wind-tunnel Microphone Structure
3,261,210	7-19-66	Superconductive Accelerometer
3,262,186	7-26-66	Method of Improving the Reliability of a Rolling Element System
3,262,262	7-26-66	Electrostatic Ion Rocket Engine
3,262,351	7-26-66	Separation Nut
3,262,365	7-26-66	Space Capsule Ejection Assembly
3,262,395	7-26-66	Hydraulic Transformer
3,262,518	7-26-66	Emergency Escape System
3,262,655	7-26-66	Alleviation of Divergence During Rocket Launch
3,263,016	7-26-66	Black-body Furnace
3,263,171	7-26-66	Micro Current Measuring Device Using Plural Logarithmic Response Heated Filamentary Type Diodes
3,263,610	8-2-66	Quick-Release Connector
**3,264,135	8-2-66	Method of Coating Carbonaceous Base To Prevent Oxidation Destruction and Coated Base
3,270,441	9-6-66	Reduced Gravity Simulator
3,270,499	9-6-66	Injector Assembly for Liquid Fueled Rocket Engines
3,270,501	9-6-66	Aerodynamic Spike Nozzle
3,270,503	9-6-66	Ablation Structures
3,270,504	9-6-66	Automatically Deploying Nozzle Exit Cone Extension
3,270,505	9-6-66	Control System for Rocket Vehicles
**3,270,512	9-6-66	Intermittent Type Silica gel Absorption Refrigerator
3,270,565	9-6-66	Omnidirectional Acceleration Device
3,270,756	9-6-66	Fluid Flow Control Valve
3,270,802	9-6-66	Method and Apparatus for Varying Thermal Conductivity
3,270,835	9-6-66	Device for Suppressing Sound and Heat Produced by High-velocity Exhaust Jets
3,270,908	9-6-66	Space Capsule
3,270,985	9-6-66	Reactance Control System
3,270,986	9-6-66	Hand-held Self-maneuvering Unit
3,270,988	9-6-66	Minimum Induced Drag Airfoil Body
**3,270,989	9-6-66	Variable Sweep Aircraft
3,270,990	9-6-66	Absorptive Splitter for Closely Spaced Supersonic Engine Air Inlets
3,271,140	9-6-66	High Temperature Cobalt-Base Alloy
**3,271,181	9-6-66	Method of Coating Carbonaceous Base To Prevent Oxidation Destruction and Coated Base
3,271,532	9-6-66	Three-axis Finger Tip Controller for Switches
3,271,558	9-6-66	Spectral Method for Monitoring Atmospheric Contamination of Inert-gas Welding Shields
3,271,594	9-6-66	Transient Augmentation Circuit for Pulse Amplifiers
**3,271,620	9-6-66	Starting Circuit for Vapor Lamps and the Like
3,271,637	9-6-66	Gas Solar Detector Using Manganese as a Doping Agent
3,271,649	9-6-66	Regenerative Braking System
3,273,094	9-13-66	Superconducting Magnet
3,273,355	9-20-66	Heat Protective Apparatus
3,273,381	9-20-66	Means and Method of Measuring Viscoelastic Strain
3,273,388	9-20-66	Apparatus for Measuring Electric Field Strength on the Surface of a Model Vehicle
3,273,392	9-20-66	Hot Wire Liquid Level Detector for Cryogenic Fluids
3,273,399	9-20-66	Traversing Probe

Patent No.	Date	Title
3,274,304	9-20-66	Method of Making Impurity-Type Semiconductor Electrical Contacts
*3,276,251	10-4-66	Test Unit Pre-Flight Suspension System
3,276,376	10-4-66	Thrust and Direction Control Apparatus
3,276,602	10-4-66	Cable Arrangement for Rigid Tethering
3,276,679	10-4-66	Separator
3,276,722	10-4-66	Flight Craft
3,276,726	10-4-66	Inflation System for Balloon Type Satellites
3,276,865	10-4-66	High Temperature Cobalt-Base Alloy
3,276,866	10-4-66	Nickel-Base Alloy Containing Mo-W-Al-Cr-Ta-Zr-C-Nb-B
3,276,946	10-4-66	Low Friction Magnetic Recording Tape
3,277,314	10-4-66	High-Efficiency Multivibrator
3,277,366	10-4-66	Insertion Loss Measuring Apparatus Having Transformer Means Connected Across a Pair of Bolometers
3,277,373	10-4-66	Serrodyne Frequency Converter Re-entrant Amplifier System
3,277,375	10-4-66	Reentry Communication by Material Addition
3,277,458	10-4-66	Condition and Condition Duration Indicator
3,277,486	10-4-66	Method and Means for Damping Nutation in a Satellite
3,279,193	10-18-66	Method and Construction for Protecting Heat Sensitive Bodies From Thermal Radiation and Convective Heat
3,281,963	11-01-66	Training Vehicle for Controlling Attitude
3,281,964	11-01-66	Rotating Space Station Simulator
**3,281,965	11-01-66	Controlled Visibility Device for an Aircraft
3,282,035	11-01-66	Molecular Beam Velocity Selector
3,282,091	11-01-66	Instrument for Measuring Torsional Creep and Recovery
3,282,532	11-01-66	Stabilization of Gravity Oriented Satellites
3,282,541	11-01-66	Attitude Control System for Sounding Rockets
3,282,739	11-01-66	Non-magnetic Battery Case
**3,282,740	11-01-66	Sealed Battery Gas Manifold Construction
3,283,088	11-01-66	Multiple Circuit Switch Apparatus With Improved Pivot Actuator Structure
3,283,175	11-01-66	AC Logic Flip-Flop Circuits
3,283,241	11-01-66	Apparatus for Field Strength Measurement of a Space Vehicle
3,286,274	11-22-66	Pressure suit tie-down mechanism
3,286,531	11-22-66	Omni-Directional Anisotropic Molecular Trap
3,286,629	11-22-66	Multi-mission module
3,286,630	11-22-66	Spacecraft separation system for spinning vehicles and/or payloads
3,286,882	11-22-66	Booster tank system
3,286,953	11-22-66	Roll attitude star sensor system
3,286,957	11-22-66	Flexible wing deployment device
3,287,031	11-22-66	Indexed Keyed Connection
3,287,174	11-22-66	Prevention of pressure build-up in electrochemical cells
3,287,496	11-22-66	Digital television camera control system
3,287,582	11-22-66	Apparatus for increasing ion engine beam density
3,287,640	11-22-66	Pulse Counting circuit which simultaneously indicates the occurrence of the Nth pulse
**3,287,660	11-22-66	Solid State chemical source for ammonia beam maser
3,287,725	11-22-66	Phase-locked loop with a sideband rejecting properties
3,289,205	11-29-66	Method & Apparatus for determining Electromagnetic characteristics of Large Surface Area Passive Reflectors



Patent No.	Date	Title
3,295,360	01-03-67	Dynamic sensor
*3,295,366	01-03-67	Support apparatus for dynamic testing
3,295,377	01-03-67	Angular accelerometer
3,295,386	01-03-67	Three axis controller
3,295,512	01-03-67	Foldable solar concentrator
3,295,545	01-03-67	Liquid storage tank venting device for zero gravity environment
3,295,556	01-03-67	Foldable conduit
**3,295,684	01-03-67	High pressure filter
3,295,699	01-03-67	Folding boom assembly
3,295,782	01-03-67	Endless tape cartridge
3,295,790	01-03-67	Recoverable single stage spacecraft booster
3,295,791	01-03-67	Storage container mounting for space vehicles
3,295,798	01-03-67	Landing gear
**3,295,808	01-03-67	Parallel motion suspension device
3,296,060	01-03-67	Unrefined-ceramic flame resistant insulation and method of making the same
3,296,526	01-03-67	Micrometeroid velocity measuring device
3,296,531	01-03-67	Electrostatic plasma modulator for space vehicle re-entry communication
3,298,175	01-17-67	Method and device for cooling
3,298,182	01-17-67	Ignition means for monopropellant
3,298,221	01-17-67	Densitometer
3,298,285	01-17-67	Reinforcing means for diaphragms
3,298,362	01-17-67	Instrument for use in performing a controller Valsalva Maneuver
3,298,582	01-17-67	Camera film feed having a detent means
*3,299,364	01-17-67	Folded traveling wave maser structure
3,299,431	01-17-67	Unfurlable structure including coiled strips thrust launched upon tension release
3,299,913	01-24-67	Adjustable Tension Wire Guide
3,300,162	01-24-67	Radial module space station
3,300,717	01-24-67	Method & Apparatus for measuring potentials in plasmas
3,300,721	01-24-67	Means for communication through a layer of ionized gases
3,300,847	01-31-67	Portable alignment tool
3,300,949	01-31-67	Liquid-gas separator for zero gravity environment
3,300,981	01-31-67	Zero gravity starting means for liquid propellant motors
3,301,046	01-37-67	Method of obtaining permanent record of surface flow phenomena
3,301,315	01-31-67	Thermal conductive connection and method of making same
3,301,507	01-31-67	Hypersonic Re-entry Vehicle
3,301,511	01-31-67	Wing Deployment Method and Apparatus
3,301,578	01-31-67	Cryogenic connector for vacuum use
3,302,023	01-31-67	Apparatus for producing three dimensional recordings of fluorescence spectra
3,302,040	01-31-67	Linear sawtooth voltage-wave generator employing transistor timing circuit having capacitor-zener diode combination feedback
3,302,569	02-07-67	Quick release separation mechanism
3,302,633	02-07-67	Universal pilot restraint suit and body support therefor
*3,302,662	02-07-67	Antiflutter ball check valve
3,302,960	02-07-67	Locking device with rolling detents
3,303,304	02-07-67	Discrete Local Altitude Sensing Device
3,304,028	02-14-67	Attitude control for spacecraft
3,304,718	02-21-67	Double optic system for ion engine
3,304,724	02-21-67	Tank construction for space vehicles
3,304,729	02-21-67	Cryogenic Storage System
*3,304,768	02-21-67	Fatigue testing device
3,304,773	02-21-67	Force transducer
3,304,799	02-21-67	Proportional controller
3,304,865	02-21-67	Self-sealing, unbonded, rocket motor nozzle closure

Patent No.	Date	Title
3,305,415	02-21-67	Process for preparing sterile solid propellants
3,305,636	02-21-67	Phase-shift data transmission system having a pseudo-noise sync code modulated with the data in a single channel
**3,305,801	02-21-67	Variable time constant smoothing circuit
**3,305,810	02-21-67	Solenoid construction
3,305,861	02-21-67	Closed Loop Ranging System
3,305,870	02-21-67	Dual Mode Horn Antenna
3,307,407	03-07-67	Micro-particle impact sensing apparatus
3,308,848	03-14-67	Fluid power transmission
3,309,012	03-14-67	Thermal pump-compressor for space use
3,309,961	03-21-67	Hermetically sealed explosive release mechanism
*3,310,034	03-21-67	File card marker
*3,310,138	03-21-67	Viscous-pendulum damper
3,310,256	03-21-67	Aerodynamic protection for space flight vehicles
3,310,258	03-21-67	Technique for control of free-flight rocket vehicles
3,310,261	03-21-67	Control for flexible parawing
3,310,262	03-21-67	Supersonic Aircraft
3,310,443	03-21-67	Method of forming thin window drifted silicon charged particle detector
3,310,978	03-28-67	Fiber optic vibration transducer and analyzer
3,310,980	03-28-67	Hydraulic support for dynamic testing
**3,311,315	03-28-67	Endless tape transport mechanism
3,311,502	03-28-67	Didymium hydrate additive to nickel hydroxide electrodes
3,311,510	03-28-67	Method of making a silicon semiconductor device
3,311,748	03-28-67	Sun tracker with rotatable plane-parallel plate and two photocells
**3,311,772	03-28-67	Focussing system for an ion source having apertured electrodes
3,311,832	03-28-67	Multiple Input Radio Receiver
3,312,101	04-04-67	Gas Analyzer for Bi-gaseous mixtures
3,316,716	05-02-67	Composite Powerplant and Shroud Therefor
3,316,752	05-02-67	Method and Apparatus for detection and location of microleaks
*3,316,991	05-02-67	Automatic Force measuring system
3,317,180	05-02-67	High Pressure regulator valve
3,317,341	05-02-67	Metallic film diffusion for boundary lubrication
3,317,352	05-02-67	Method for determining the state of charge of batteries by the use of tracers
3,317,641	05-02-67	Method For Molding Compounds
3,317,731	05-02-67	Canopus Detector Including Automatic Gain Control of Photomultiplier Tube
3,317,751	05-02-67	Reversible Ring Counter Employing Cascaded Single SCR Stages
3,317,797	05-02-67	Microelectronic Module Package
3,317,825	05-02-67	Three-Wire Ground Type Electrical Receptacle Tester
3,317,832	05-02-67	Single or Joint Amplitude Distribution Analyzer
3,317,846	05-02-67	Linear Accelerator for Micrometeoroids Having a Variable Voltage Source
3,318,093	05-09-67	Hydraulic Drive Mechanism
3,318,096	05-09-67	Purge Device for Thrust Engines
3,318,343	05-09-67	Tool Attachment for Spreading Loose Elements Away From Work
*3,318,622	05-09-67	All-Directional Fastener
3,319,175	05-09-67	Electronic Amplifier With Power Supply Switching
3,319,979	05-16-67	Quick Attach and Release Fluid Coupling Assembly
3,320,669	05-23-67	Line Cutter
3,321,034	05-23-67	Sample Collecting Impact Bit

Patent No.	Date	Title
3,321,154	05-23-67	Transpirationally Cooled Heat Ablation System
3,321,157	05-23-67	Double-Hinged Flap
3,321,159	05-23-67	Techniques for Insulating Cryogenic Fuel Containers
*3,321,570	05-23-67	Printed circuit board with bellows rivet connection
3,321,628	05-23-67	Baseline stabilization system for ionization detector
**3,321,645	05-23-67	Switching circuit employing regeneratively connected complementary transistors
3,321,922	05-30-67	Small Rocket Engine
3,323,356	06-06-67	Apparatus for Positioning and Loading a test specimen
3,323,362	06-06-67	Positive Displacement Flowmeter
3,323,370	06-06-67	Mass measuring system
**3,323,386	06-06-67	Two-axis controller
3,323,408	06-06-67	Optical alignment system
3,323,484	06-06-67	Liquid Flow Sight Assembly
**3,323,967	06-06-67	Masking Device
3,324,370	06-06-67	Electronic Beam Switching Commutator
3,324,388	06-06-67	Meteoroid sensing apparatus having a coincidence network connected to a pair of capacitors
**3,324,423	06-06-67	Dual waveguide mode source having control means for adjusting the relative amplitudes of two modes
3,324,659	06-13-67	Electrostatic Thruster with Improved Insulators
3,325,229	06-13-67	Air Bearing
3,325,723	06-13-67	Voltage-current characteristic simulator
3,325,749	06-13-67	Variable Frequency Oscillator with Temperature Compensation
3,326,043	06-20-67	Inductive Liquid Level Detection System
3,326,407	06-21-67	Thin-walled pressure vessel
3,327,298	06-21-67	System for recording and reproducing pulse code modulated data
*3,327,991	06-27-67	Valve seat with Resilient Support Member
3,328,624	06-27-67	High efficiency ionizer assembly
3,329,375	07-04-67	Attitude Control and damping system for spacecraft
3,329,918	07-04-67	High voltage divider system
3,330,052	07-11-67	Subgravity Simulator
**3,330,082	07-11-67	Central spar and module joint
3,330,510	07-11-67	Orbital Escape Device
3,330,549	07-11-67	Shock Absorber
3,331,071	07-11-67	Satellite Communication System
3,331,246	07-18-67	Hypersonic test facility
3,331,255	07-18-67	Non-magnetic, explosive actuated indexing device
3,331,404	07-18-67	Apparatus for purging systems handling
3,331,951	07-18-67	Trigonometric Vehicle Guidance Assembly which aligns the three perpendicular axes of two-axis systems
**3,333,152	07-25-67	Self-repeating plasma accelerator
3,333,788	08-01-67	Artificial gravity spin deployment system
3,336,725	08-22-67	Canister closing device
3,336,748	08-22-67	Plasma Device Feed System
3,337,004	08-22-67	Impact energy absorber
3,337,279	08-22-67	Gas purged dry box glove
3,337,315	08-22-67	Method for Fiberizing Ceramic Materials
3,337,337	08-22-67	Method for producing fiber reinforced metallic composites
**3,337,790	08-22-67	Mercury capillary interrupter
3,337,812	08-22-67	Circulator having quarter wavelength resonant post and parametric amplifier circuits utilizing the same
3,339,404	09-05-67	Lunar Penetrometer
3,339,863	09-05-67	Solar vane actuator
3,340,099	09-05-67	Bonded elastomeric seal for electrochemical cells

Patent No.	Date	Title
3,340,395	09-05-67	Time-of-flight mass spectrometer with feed-back means from the detector to the ion sources and a specific counter
3,340,397	09-05-67	Multiple environment materials test chamber having a multiple port X-ray tube for irradiating a plurality of samples
**3,340,430	09-05-67	Diode and protection fuse unit
3,340,532	09-05-67	Tracking receiver
3,340,599	09-12-67	Simple method of making photovoltaic junctions
3,340,713	09-12-67	Spin forming tubular elbows
3,340,727	09-12-67	Ablation Probe
3,340,732	09-12-67	Meteorological Balloon
3,341,151	09-12-67	Apparatus providing a directive field pattern and attitude sensing of a spin stabilized satellite
3,341,169	09-12-67	Filler Valve
3,341,708	09-12-67	Amplitude modulated laser transmitter
3,341,778	09-12-67	Optimum pre-detection diversity receiving system
**3,341,977	09-19-67	Conforming Polisher for aspheric surfaces of revolution
3,342,055	09-19-67	Protective device for machine and metalworking tools
3,342,066	09-19-67	Model launcher for wind tunnels
*3,342,653	09-19-67	Method of making inflatable honeycomb
*3,343,180	09-26-67	Stretcher
3,343,189	09-26-67	Rescue litter floatation assembly
3,344,340	09-26-67	Regulated power supply
3,344,425	09-26-67	Monopulse Tracking System
3,345,820	10-10-67	Electron Bombardment Ion Engine
3,345,822	10-10-67	Burning rate control of solid propellants
3,345,840	10-10-67	Tube Dimpling Tool
*3,345,866	10-10-67	Multilegged Support System
3,346,419	10-10-67	Solar cell mounting
3,346,515	10-10-67	Method of producing alternating ether-siloxane copolymers
3,346,724	10-10-67	Random Function Tracer
3,346,806	10-10-67	Pressure monitoring with a plurality of ionization gauges controlled at a central location
3,346,929	10-17-67	Latching Mechanism
3,347,046	10-17-67	Control of transverse instability in rocket combustors
3,347,057	10-17-67	Rapid cooling method and apparatus
3,347,309	10-17-67	Self Adjusting Multi-Segment, Deployable Natural Circulation Radiator
3,347,465	10-17-67	Prestressed refractor structure
3,347,466	10-17-67	Nacelle Afterbody for jet engines
3,347,531	10-17-67	Stirring apparatus for plural test tubes
3,347,665	10-17-67	Low temperature aluminum alloy
3,348,048	10-17-67	Horizon sensor with a plurality of fixedly-positioned radiation-compensated radiation sensitive detector
3,348,053	10-17-67	Amplifier Clamping Circuit for horizon scanner
3,348,152	10-17-67	Diversity receiving system
3,349,814	10-31-67	Method and apparatus for making a heat insulating and ablative structure
3,350,038	10-31-67	Reaction wheel scanner
3,350,034	10-31-67	Satellite appendage tie-down cord
3,350,648	10-31-67	Signal-to-noise ratio estimated by taking ratio of mean and standard deviation of integrated signal samples
**3,350,671	10-31-67	High power-high voltage waterload
**3,350,926	11-07-67	Miniature Stress Transducer
3,352,157	11-14-67	Inertia diaphragm pressure transducer
*3,352,192	11-14-67	Split nut separation system
3,353,359	11-21-67	Multislot film cooled pyrolytic graphite rocket nozzle
3,354,098	11-21-67	Elastomeric Silazane polymers and process for preparing the same
3,354,320	11-21-67	Light position locating system

Patent No.	Date	Title
3,354,462	11-21-67	Event Recorder
3,355,861	12-05-67	Mixture Separation Cell
3,355,948	12-05-67	Spherical Tank Gauge
3,356,320	12-05-67	Device for Separating Occupant from an ejection seat
*3,356,549	12-05-67	Method and apparatus for bonding a plastics sleeve onto a metallic body
3,356,885	12-05-67	Small plasma probe
3,357,024	12-05-67	Method of recording a gas flow pattern
*3,357,093	12-12-67	Soldering with solder flux which leaves corrosion-resistant coating
3,357,237	12-12-67	Ablation Sensor
3,357,862	12-12-67	Combined Electrolysis device and fuel cell and method of operation
3,358,145	12-12-67	Radiation detector readout system
*3,358,264	12-12-67	Coaxial Cable Connector
3,359,046	12-10-67	Bismuth-lead coatings for gas bearings used in atmospheric environments and vacuum chambers
3,359,132	12-19-67	Method of coating circuit paths on printed circuit boards with solder
3,359,409	12-19-67	Correlation function apparatus
**3,359,435	12-19-67	Holder for crystal resonators
3,359,555	12-19-67	Polarization diversity monopulse tracking receiver
*3,359,819	12-26-67	Bidirectional step torque filter with zero backlash characteristic
*3,359,855	12-26-67	Optical projector system
3,360,798	12-26-67	Collapseable reflector
3,360,864	01-02-68	Internal flare angle gauge
**3,360,972	01-02-68	Magnetomotive metal working device
3,360,980	01-02-68	Vapor pressure measuring system and method
3,360,988	01-02-68	Electric arc apparatus
3,361,045	01-02-68	Fast-opening diaphragm
**3,361,067	01-02-68	Piezoelectric pump
3,361,400	01-02-68	Clamping assembly for components inertial
*3,361,666	01-02-68	Inorganic solid film lubricants
3,361,985	01-02-68	Signal detection and tracking apparatus
3,364,311	01-16-68	Elimination of frequency shift in a multiplex communication system
3,364,366	01-16-68	Multiple Slope Sweep Generator
*3,364,578	01-23-68	Ellipsograph for Pantograph
3,364,631	01-23-68	Inflatable Support Structure
3,364,777	01-23-68	Null Device for Hand Controller
3,364,813	01-23-68	Self-Calibrating displacement transducer
3,365,580	01-23-68	Film reader with transparent capstan and U-shaped light conducting rod
3,365,657	01-23-68	Power Supply
3,365,665	01-23-68	Hall current measuring apparatus having a series resistor for temperature compensation
3,365,897	01-30-68	Cryogenic Thermal Insulation
3,365,930	01-30-68	Thermal shock apparatus
3,365,941	01-30-68	Precision thrust gage
3,366,886	01-30-68	Linear accelerator frequency control system
3,366,894	01-30-68	Variable duration pulse integrator
3,367,114	02-06-68	Construction and Method of Arranging a Plurality of Ion Engines
**3,367,121	02-06-68	Refrigeration device
3,367,182	02-06-68	Heat Flux System
3,367,224	02-06-68	Aligning and Positioning Device
3,367,271	02-06-68	Automatic Pump
3,367,308	02-06-68	Exposure system for animals
*3,367,445	02-06-68	Fluid Lubricant System
3,368,486	02-13-68	Single Action Separation Mechanism
3,369,222	02-13-68	Data Compressor
3,369,223	02-13-68	Incremental tape recorder and data rate converter
3,369,564	02-20-68	Transfer Valve

Patent No.	Date	Title
3,370,039	02-20-68	Process for Preparation of High-Molecular-Weight Polyaryloxyallenes
3,372,588	03-12-68	Constant temperature heat sink for calorimeters
*3,373,069	03-12-68	Method of Making an Inflatable Panel
3,373,404	03-12-68	Error-Correcting Method and Apparatus
3,373,430	03-12-68	Omnidirectional Microwave Spacecraft Antenna
3,373,431	03-12-68	Low Noise Single Aperture Multimode Monopulse Antenna Feed System
3,373,640	03-19-68	Apparatus for Machining Geometric Cones
3,373,914	03-19-68	Automatic Welding Speed Controller
3,374,339	3-19-68	Counter and Shift-Register
3,374,366	03-19-68	Complementary Regenerative Switch
**3,374,830	02-26-68	Thermal Control Panel
3,374,966	03-26-68	Control System
3,375,451	03-26-68	Adaptive Tracking Notch Filter System
3,375,479	03-26-68	Continuous Turning Slip Ring Assembly
3,376,730	04-09-68	Friction Measuring Apparatus
3,377,208	04-09-68	Thermocouple Assembly
3,377,845	04-16-68	Moment of Inertia Test Fixture
3,378,315	04-16-68	Hybrid Lubrication System and Bearing
3,378,851	04-23-68	Soft Frame Adjustable Eyeglasses
*3,378,892	04-23-68	Quick Attach Mechanism
3,379,064	04-23-68	Automatic Recording McLeod Gauge
3,379,330	04-23-68	Cryogenic Insulation System
3,379,885	04-23-68	Sight Switch Using an Infrared Source and Sensor
3,379,974	04-23-68	Particle Detection Apparatus Including a Ballistic Pendulum
3,380,042	04-23-68	Digital Telemetry System
3,380,049	04-23-68	Method of Resolving Clock Synchronization Error and Means Therefor
*3,381,339	05-07-68	Hydraulic Casting of Liquid Polymers
3,381,517	05-07-68	Rotary Bead Dropper and Selector For Testing Micrometeorite Detectors
3,381,527	05-07-68	Tension Measurement Device
3,381,569	05-17-68	Attitude Sensor For Space Vehicles
3,381,778	05-07-68	Energy Absorbing Device
*3,382,082	05-07-68	Foamed-In-Place Ceramic Refractory Insulating Material
3,382,105	05-17-68	Ion-Exchange Membrane and Electrode Assembly
3,382,107	05-17-68	Sealing Device For An Electrochemical Cell
3,382,714	05-14-68	Heat Sensing Instrument
3,383,461	05-14-68	Reduced Bandwidth Video Communication System Utilizing Sampling Technique
3,383,524	05-14-68	Solid State Pulse Generator With Constant Output Width, For Variable Input Width, In Nanosecond Range
3,383,903	05-21-68	Pressure Transducer Calibrator
3,383,922	05-21-68	Linear Differential Pressure Sensor
3,384,016	05-21-68	Lateral Displacement System For Separated Rocket Stages
3,384,075	05-21-68	Thermal Control Wall Panel
3,384,111	05-21-68	Positive Locking Check Valve
**3,384,324	05-21-68	Thermal Control Wall Panel
*3,384,820	05-21-68	Vibrating Element Electrometer With Output Signal Magnified Over Input Signal By A Function Of The Mechanical Q Of The Vibrating Element
3,384,895	05-21-68	Portable Superclean Air Column Device
3,385,036	05-28-68	Portable Superclean Air Column Device
3,386,337	06-04-68	Portable Milling Tool
**3,386,685	06-04-68	Spacecraft Airlock
3,386,686	06-04-68	Station Keeping Of A Gravity-Gradient Stabilized Satellite
3,387,149	06-04-68	Phonocardiograph Transducer
3,388,258	06-11-68	Fluid Flow Meter With Comparator Reference Means

Patent No.	Date	Title
**3,388,387	06-11-68	Drive Circuit Utilizing Two Cores
**3,388,590	06-18-68	Connector Internal Force Gauge
3,389,017	06-18-68	Sealing Member And Combination Thereof And Method Of Producing Said Sealing Member
3,389,260	06-18-68	Solar Sensor Having Coarse And Fine Sensing With Matched Preirradiated Cells And Method Of Selecting Cells
3,389,346	06-18-68	Compensating Bandwidth Switching Transients In An Amplifier Circuit
3,389,877	06-25-68	Inflatable Tether
3,390,017	06-25-68	Sealed Electrochemical Cell Provided With A Flexible Casing
3,390,020	06-25-68	Semiconductor Material And Method Of Making Same
3,390,282	06-25-68	Passive Synchronized Spike Generator With High Input Impedance And Low Output Impedance And Capacitor Power Supply
**3,390,378	06-25-68	Comparator For The Comparison Of Two Binary Numbers
3,391,080	07-02-68	Metallic Film Diffusion For Boundary Lubrication
3,392,403	07-09-68	Measurement Of Time Differences Between Luminous Events
3,392,586	07-16-68	Device For Measuring Pressure
3,392,864	07-16-68	Insulation System
3,392,865	07-16-68	Filament-Wound Container
3,392,936	07-16-68	Leading Edge Curvature Based On Convective Heating
**3,393,059	07-16-68	Decontamination Of Petroleum Products
3,393,330	07-16-68	Thermionic Converter With Current Augmented By Self-Induced Magnetic Field
3,393,332	07-16-68	Superconducting Alternator
3,393,380	07-16-68	Phase Locked Phase Modulator Including A Voltage Controlled Oscillator
3,393,347	07-16-68	Power Supply Circuit
3,393,384	07-16-68	Radio Frequency Coaxial High Pass Filter
3,394,359	07-23-68	Digital Memory Sense Amplifying Means
3,394,975	07-30-68	Petzval Type Objective Including Field Shaping Lens
**3,395,053	07-30-68	Thermal Control Coating
3,396,057	08-06-68	Method Of Electrolytically Binding A Layer Of Semiconductors Together
3,396,184	08-06-68	Trialkyl-Dihalotantalum And Niobium Compounds
3,396,303	08-06-68	ARC Electrode Of Graphite With Ball Tip
3,396,584	08-13-68	Space Simulation And Radiative Property Testing System And Method
3,396,920	08-13-68	Apparatus For Changing The Orientation And Velocity Of A Spinning Body Traversing A Path
**3,397,094	08-13-68	Method Of Changing The Conductivity Of Vapor Deposited Gallium Arsenide By The Introduction Of Water Into The Vapor Deposition Atmosphere
*3,397,117	08-13-68	Compact Solar Still
3,397,318	08-13-68	Ablation Sensor
3,397,512	08-20-68	Vapor-Liquid Separator
3,397,932	08-20-68	Semi-Linear Ball Bearing
3,399,299	08-27-68	Apparatus For Phase Stability Determination
3,399,574	09-03-68	Method For Leakage Testing Of Tanks
3,404,848	10-01-68	Low Level Signal Limiter
3,405,406	10-15-68	Hard Space Suit
3,405,887	10-15-68	Ring Wing Tension Vehicle
3,406,336	10-15-68	RC Rate Generator For Slow Speed Measurement
*3,406,742	10-22-68	Automatic Fatigue Test Temperature Programmer

Patent No.	Date	Title
3,407,304	10-22-68	Micrometeoroid Penetration Measuring Device
3,408,816	11-05-68	Rocket Engine Injector
3,408,861	11-05-68	Rocket Engine Thrust Vector Deviation Measurement Device
3,408,870	11-05-68	Zero Gravity Apparatus
3,409,247	11-05-68	Solid State Thermal Control Polymer Coating
3,409,252	11-05-68	Controllers
3,409,554	11-05-68	Gd or Sm Doped Silicon Semi-Conductor Composition
3,409,730	11-05-68	Thermal Radiation Shielding
*3,411,356	11-19-68	Zeta Potential Flow Meter
3,412,559	11-26-68	Ion Engine Casing Construction And Method Of Making Same
3,412,598	11-26-68	Impact Testing Machine
*3,412,729	11-26-68	Method And Apparatus For Continuously Monitoring Blood Oxygenation, Blood Pressure, Pulse Rate And The Pressure Pulse Curve Utilizing An Ear Oximeter As Transducer
3,412,961	11-26-68	Means For Suppressing Or Attenuating Bending Motion Of Elastic Bodies
*3,413,115	11-26-68	Brazing Alloy
3,413,510	11-26-68	Electronic Cathode Having A Brush-Like Structure And A Relatively Thick Oxide Emissive Coating
3,413,536	11-26-68	Automatic Battery Charger
3,414,012	12-03-68	Dual Latching Solenoid Valve
3,414,358	12-03-68	Optical Monitor Panel
3,415,032	12-10-68	Evacuation Port Seal
3,415,069	12-10-68	High Pressure Helium Purifier
3,415,116	12-10-68	Floating Two-Force-Component Measuring Device
3,415,126	12-10-68	Azimuth Laying System
3,415,156	12-10-68	Controlled Release Device
*3,415,556	12-10-68	Ceramic-To-Metal Seal And Method Of Making Same
3,415,643	12-10-68	High Temperature Ferromagnetic Cobalt-Base
3,415,992	12-10-68	Extended Area Semiconductor Radiation Detectors And A Novel Readout Arrangement
3,416,106	12-10-68	Broadband Microwave Waveguide Window
3,416,274	12-17-68	Flexibly Connected Support And Skin
*3,416,939	12-17-68	Alkali-Metal Silicate Protective Coating
3,416,975	12-17-68	Etching Of Aluminum For Bonding
3,416,988	12-17-68	Traveling Sealer For Contoured Table
3,417,247	12-17-68	Radiant Energy Intensity Measurement System
3,417,266	12-17-68	Pulse Modulator Providing Fast Rise And Fall Times
3,417,298	12-17-68	Polarity Sensitive Circuit
3,417,316	12-17-68	Sidereal Frequency Generator
3,417,321	12-17-68	Increasing Efficiency Switching-Type Regulator Circuits
3,417,332	12-17-68	Frequency Shift Keying Apparatus
3,417,399	12-17-68	Millimeter-Wave Radiometer For Radio-Astronomy
3,417,400	12-17-68	Triaxial Antenna
*3,419,329	12-31-68	Combined Optical Attitude And Altitude Indicating Instrument
3,419,363	12-31-68	Self-Lubricating Fluoride-Metal Composite Materials
3,419,433	12-31-68	Solar Cell And Circuit Array And Process For Nullifying Magnetic Fields
*3,419,537	12-31-68	Dicyanoacetylene Polymers
*3,419,827	12-31-68	Indexing Microwave Switch
3,419,964	01-07-69	Apparatus For Measuring Swelling Characteristics Of Membranes
3,420,069	01-07-69	Condenser-Separator

Patent No.	Date	Title
*3,420,223	01-07-69	Electrode For Biological Recording
3,420,225	01-07-69	Balanced Bellows Spirometer
3,420,338	01-07-69	Hermetic Sealed Vibration Damper
3,420,704	01-07-69	Depositing Semiconductor Films Utilizing A Thermal Gradient
3,420,945	01-07-69	Electrode and Insulator With Shielded Dielectric Junction
**3,420,978	01-07-69	Pretreatment Method For Anti-Wettable Materials
3,421,004	01-07-69	Solar Optical Telescope Dome Control System
3,421,053	01-07-69	Tumbler System To Provide Random Motion
3,421,056	01-07-69	Thin Window Drifted Silicon, Charged Particle Detector
3,421,105	01-07-69	Automatic Acquisition System For Phase-Lock Loop
*3,421,134	01-07-69	Electrical Connector
3,421,363	01-14-69	Harness For Vertically Supporting Slender Bodies For Vibration Testing
3,421,506	01-14-69	Relief Container
3,421,541	01-14-69	Relief Valve
3,421,549	01-14-69	Pneumatic System For Controlling And Actuating Pneumatic Cyclic Devices
*3,421,591	01-14-69	Rock Drill For Recovering Samples
3,421,700	01-14-69	Electromechanical Actuator
3,421,768	01-14-69	Foil Seal
**3,421,864	01-14-69	Multilayer Porous Ionizer
**3,421,948	01-14-69	Method Of Making Membranes
3,422,019	01-14-69	Method For Processing Ferrite Cores
3,422,213	01-14-69	Connector Strips
3,422,278	01-14-69	Signal Generator
**3,422,291	01-14-69	Magnetohydrodynamic Induction Machine
*3,422,324	01-14-69	Pressure Variable Capacitor
3,422,352	01-14-69	Apparatus For Measuring Current Flow
**3,422,354	01-14-69	Test Fixture For Pellet-Like Electrical Elements
3,422,390	01-14-69	Coupling Device
3,422,403	01-14-69	Data Compression System
3,422,440	01-14-69	Plural Recorder System
3,423,179	01-21-69	Catalyst For Growth Of Boron Carbide Crystal Whiskers
3,423,290	01-21-69	Lyophilized Reaction Mixtures
*3,423,579	01-21-69	Electronic Divider And Multiplier Using Photoconductor
3,423,608	01-21-69	Nonmagnetic Thermal Motor For A Magnetometer
3,424,966	01-28-69	Synchronous Servo Loop Control System
3,425,131	02-04-69	Extensometer
3,425,486	02-04-69	Garments For Controlling The Temperature Of The Body
3,425,487	02-04-69	Space Suit Heat Exchanger
*3,426,230	02-04-69	Direct Radiation Cooling Of The Collector Of Linear Beam Tubes
**3,426,263	02-04-69	Method And Apparatus For Battery Charge Control
**3,426,272	02-04-69	Device For Determining The Accuracy Of The Flare On A Flared Tube
3,426,746	02-11-69	Method And Apparatus For Attaching Physiological Monitoring Electrodes
3,427,089	02-11-69	Ultraviolet Filter
3,427,097	02-11-69	Pneumatic Mirror Support System
3,427,205	02-11-69	Spacecraft Battery Seals
3,427,525	02-11-69	Regulated D.C. to D.C. Converter
3,428,761	02-18-69	Excitation And Detection Circuitry For A Flux Responsive Magnetic Head
3,428,812	02-18-69	Optical Spin Compensator
3,428,910	02-18-69	Automatic Gain Control System
3,428,919	02-18-69	Signal Multiplexer
3,428,928	02-18-69	Broadband Choke For Antenna Structure
3,429,477	02-25-69	Apparatus for Ejection Of An Instrument Cover

Patent No.	Date	Title
3,429,529	02-25-69	Control Devices For Flexible Wing Aircraft
3,430,115	02-25-69	Apparatus For Ballasting High Frequency Transistors
3,430,182	02-25-69	Electrical Feed-Through Connection For Printed Circuit Boards And Printed Cables
3,430,237	02-25-69	Time Division Multiplex System
3,430,909	03-04-69	Device For Handling Heavy Loads
3,432,730	03-11-69	Semiconductor P-N Junction Stress And Strain Sensor
3,433,015	03-18-69	Gas Turbine Combustion Apparatus
*3,433,953	03-18-69	Compensating Radiometer
3,433,960	03-18-69	Retrodirective Optical System
3,433,961	03-18-69	Scanning Aspect Sensor Employing An Apertured Disc And A Commutator
3,434,037	03-18-69	Multiple Varactor Frequency Doubler
3,434,050	03-18-69	High Impedance Measuring Apparatus
3,434,064	03-18-69	Amplifier Drift Tester
3,434,885	03-25-69	Method Of Making Electrical Contact On Silicon Solar Cell And Resultant Product
3,435,246	03-25-69	Light Radiation Direction Indicator With A Baffle Of Two Parallel Grids
3,437,527	04-08-69	Method For Producing A Solar Cell Having An Integral Protective Covering
3,437,560	04-08-69	Use Of The Enzyme Hexokinase For The Reduction Of Inherent Light Levels
3,437,832	04-08-69	Ring Counter
3,437,874	04-08-69	Display For Binary Characters
3,437,903	04-08-69	Protection For Energy Conversion Systems
3,437,919	04-08-69	Cryogenic Apparatus For Measuring The Intensity Of Magnetic Fields
3,437,935	04-08-69	Varactor High Level Mixer
3,437,959	04-08-69	Helical Coaxial Resonator RF Filter
3,438,044	04-08-69	Monopulse System With An Electronic Scanner
3,438,263	04-15-69	Fluid Sample Collector
3,439,886	04-22-69	Visual Target For Retrofire Attitude Control
3,443,208	05-06-69	Optically Pumped Resonance Magnetometer For Determining Vectorial Components In A Spatial Coordinate System
3,444,380	05-13-69	Electronic Background Suppression Method And Apparatus For A Field Scanning Sensor
3,446,387	05-27-69	Piping Arrangement Through A Double Wall Chamber
3,446,676	05-27-69	Solar Battery With Interconnecting Means For Plural Cells
3,446,960	05-27-69	Device For Measuring Electron-Beam Intensities And For Subjecting Materials To Electron Irradiation In An Electron Microscope
3,446,992	05-27-69	Bus Voltage Compensation Circuit For Controlling Direct Current Motor
3,446,998	05-27-69	Bimetallic Power Controlled Actuator
3,447,015	05-27-69	Ion Thruster Cathode
3,447,071	05-27-69	Probes Having Guard Ring and Primary Sensor At Same Potential To Prevent Collection Of Stray Wall Currents In Ionized Gases
3,447,154	05-27-69	Cooperative Doppler Radar System
3,447,155	05-27-69	Ranging System
3,447,283	06-03-69	Bonding Thermoelectric Elements To Nonmagnetic Refractory Metal Electrodes
3,477,774	06-03-69	High Pressure Air Valve
3,448,346	06-03-69	Extensible Cable Support
3,448,273	06-03-69	Plurality of Photosensitive Cells On A Pyramidal Base For Planetary Trackers
3,448,290	06-03-69	Variable-Width Pulse Integrator
3,448,341	06-03-69	Electrical Load Protection Device



Patent No.	Date	Title	Patent No.	Date	Title
3,447,850	06-03-69	Sealed Cabinetry	3,460,378	08-12-69	Strain Gauge Measuring Techniques
3,450,878	06-17-69	Dosimeter For High Levels of Absorbed Radiation	3,460,759	08-12-69	Combustion Chamber
3,450,842	06-17-69	Doppler Frequency Spread Correction Device For Multiplex Transmissions	3,460,379	08-12-69	Tensile Strength Testing Device
3,450,946	06-17-69	Protective Circuit of the Spark Gap Type	3,461,437	08-12-69	Digital Memory In Which the Driving Of Each Word Location Is Controlled By A Switch Core
3,452,976	07-01-69	Printed Circuit Soldering Aid	3,460,397	08-12-69	Mechanical Actuator
3,452,872	07-01-69	Shock-Layer Radiation Measurement	3,461,393	08-12-69	Cascaded Complementary Pair Broad-band Transistor Amplifiers
3,453,172	07-01-69	Bonding Graphite With Fused Silver Chloride	3,461,290	08-12-69	Conically Shaped Cavity Radiometer With a Dual Purpose Cone Winding
3,452,423	07-01-69	Segmenting Lead Telluride-Silicon Germanium Thermoelements	3,461,721	08-19-69	Flow Field Simulation
3,458,313	07-29-69	High Resolution Developing of Photo-sensitive Resists	3,461,855	08-19-69	Conditioning Suit
3,458,833	07-29-69	Frequency Control Network For a Current Feedback Oscillator	3,463,563	08-26-69	Swivel Support For Gas Bearings
3,458,104	07-29-69	Weld Control System Using Thermocouple Wire	3,464,049	08-26-69	Load Cell Protection Device
3,458,162	07-29-69	Control Devices for Flexible Wing Aircraft	3,463,939	08-26-69	Pulsed Differential Comparator Circuit
3,458,112	07-15-69	Temperature Sensitive Capacitor Device	3,464,051	08-26-69	Electrical Spot Terminal Assembly
3,466,193	07-15-69	Phase Quadrature-Plural Channel Data Transmission System	3,464,012	08-26-69	Automatic Signal Range Selector For Metering Devices
3,458,702	07-29-69	Telespectrograph	3,463,001	08-26-69	Thrust Dynamometer
3,458,651	07-29-69	Television Simulation For Aircraft and Space Flight	3,464,016	08-26-69	Demodulation System
3,458,726	07-29-69	Power Control Circuit	3,463,673	08-26-69	Electrochemical Coulometer and Method of Forming
3,453,462	07-01-69	Slug Flow Magnetohydrodynamic Generator	3,464,018	08-26-69	Digitally Controlled Frequency Synthesizer
3,453,546	07-01-69	Telemeter Adaptable for Implanting In An Animal	3,464,652	09-02-69	Control Devices For Flexible Wing Aircraft
**3,454,410	07-08-69	Alkali-Metal Silicate Protective Coating	3,466,243	09-09-69	Alloys for Bearings
3,455,171	07-15-69	Inertial Reference Apparatus	3,465,482	09-09-69	Spacecraft Radiator Cover
3,456,201	07-15-69	System For Monitoring Signal Amplitude Ranges	3,466,198	09-09-69	Solar Cell Matrix
3,458,851	07-29-69	Electrical Connector Pin With Wiping Action	3,466,085	09-09-69	Articulated Multiple Couch Assembly
3,458,217	07-29-69	Tubular Coupling Having Low Profile Band Segments With Means for Preventing Relative Rotation	3,466,459	09-09-69	Current Steering Switch
3,455,121	07-15-69	Water Separating System	3,466,570	09-09-69	Inverter With Means For Base Current Shaping For Sweeping Charge Carriers From Base Region
*3,459,391	08-05-69	Interconnection of Solar Cells	3,465,986	09-09-69	Satellite Despin Device
3,460,995	08-12-69	Method and Device for Determining Battery State of Charge	3,466,484	09-09-69	Ionization-Vacuum Gauge With All But The End of the Ion-collector Shielded
3,460,381	08-12-69	Balance Torquemeter	3,466,424	09-09-69	Evaporant Source for Vapor Deposition
3,460,781	08-12-69	Tape Recorder	3,466,052	09-09-69	Foil Seal
3,460,784	08-12-69	Control Devices for Flexible Wing Aircraft	3,465,567	09-09-69	Method of Making Tubes
			3,465,569	09-09-69	Low Temperature Flexure Fatigue Cryostat
			3,465,747	09-09-69	Ballistocardiograph
			3,466,418	09-09-69	Determination of Spot Weld Quality
			3,466,560	09-09-69	Stable Amplifier Having A Stable Quiescent Point